1 Driver Installation Procedure

1. Download the Cisco_usbconsole_driver.zip file and unzip it.
2. Double click setup.exe, and follow the steps as shown on following sections.

1.1 Install / Uninstall Cisco USB console serial driver on WinXP

1.1.1 Install




Figure 1.1.1




Figure 1.1.2




Figure 1.1.3

This warning message (Figure 1.1.3) will not be shown once the driver is certified by MS(Microsoft).




Figure 1.1.4

Attach the device: Connect the USB Console Cable from router to the USB port of the PC.

Since the driver has not been certificated yet, the installation window will pop up and will need the user to interact to complete the installation for the device attached. The following Figure 1.1.5 – Figure 1.1.11 details the one-time installation procedure. If driver certification has been completed by Microsoft, Windows will lookup the driver automatically to install for the device attached.



Figure 1.1.5




Figure 1.1.6

.



Figure 1.1.7



Figure 1.1.8

.




Figure 1.1.9



Figure 1.1.10

.

This warning message (Figure 1.1.10) will not be shown once the driver is certified by MS(Microsoft). Click Continue Anyway.



Figure 1.1.11

1.1.2 Remove / Uninstall the driver

Go to “Add or Remove Programs” (Figure 1.1.12) or setup.exe (Figure 1.1.13) for driver un-installation with or without device attached. Note that if the COM port is still open by Windows ‘s hyper-terminal program, please CLOSE hyper-terminal before un-installation. Please follow the reminder to restart the computer for completion.




Figure 1.1.12




Figure 1.1.13


.


1.2 Install / Uninstall Cisco USB console serial driver on W2K

1.2.1 Install


Run the setup.exe program
Click Next on the Dialog to proceed with installation program




Cisco Virtual Com - InstallShield Wizard
Ready to Install the Program
The wizard is ready to begin installation.
Cisco Systems
Click Install to begin the installation.
If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard.
InstallShield
< Back
Install
Cancel


Cisco Virtual Com - InstallShield Wizard
InstallShield Wizard Completed
The InstallShield Wizard has successfully installed Cisco Virtual Com. Click Finish to exit the wizard.
< Back
Finish
Cancel


Attach the device: Connect the USB cable to Router, a series of Info Messages Boxes will pop-up automatically. After the last of these Info Message Boxes disappears, the usbconsole feature is ready to be use.




1.2.2 W2k uninstallation


Go to “Add or Remove Programs” or setup.exe for driver un-installation with or without device attached. Note that if the COM port is still open by Windows ‘s hyper-terminal program, please CLOSE hyper-terminal before un-installation. Please follow the reminder to restart the computer for completion.


Following is an example of W2k uninstallation steps for both “Add/Remove program” and “setup.exe program” :


Add/Remove Programs
Change or Remove Programs
Add New Programs
Add/Remove Windows Components
Currently installed programs:
Sort by: Name
Adobe Flash Player ActiveX
BAT Size 11.7MB
Cisco CallManager Size 397MB
Cisco CallManager Serviceability Real-Time Monitoring Tool Size 40.0MB
Cisco Virtual Com Size 166KB
Click here for support information.
To change this program or remove it from your computer, click Change or Remove.
Change
Remove
DC Directory Size 15.1MB
Diagnostics for Windows Size 1.78MB
Hewlett-Packard Survey Utility Size 1.12MB
HP Insight Management Agents
HP ProLiant Legacy Port Configuration Component Size 236KB
Internet Explorer Q831167 Size 15.2MB
Java 2 Runtime Environment, SE v1.4.2_04 Size 136MB
Close


Cisco Virtual Com - InstallShield Wizard
Welcome to the InstallShield Wizard for Cisco Virtual Com
The InstallShield(R) Wizard will allow you to modify, repair, or remove Cisco Virtual Com. To continue, click Next.
< Back
Next >
Cancel


Cisco Virtual Com - InstallShield Wizard
Program Maintenance
Modify, repair, or remove the program.
Cisco Systems
Modify
Change which program features are installed. This option displays the Custom Selection dialog in which you can change the way features are installed.
Repair
Repair installation errors in the program. This option fixes missing or corrupt files, shortcuts, and registry entries.
Remove
Remove Cisco Virtual Com from your computer.
InstallShield
< Back
Next >
Cancel


Cisco Virtual Com - InstallShield Wizard
Remove the Program
You have chosen to remove the program from your system.
Cisco Systems
Click Remove to remove Cisco Virtual Com from your computer. After removal, this program will no longer be available for use.
If you want to review or change any settings, click Back.
InstallShield
< Back
Remove
Cancel


Cisco Virtual Com - InstallShield Wizard
InstallShield Wizard Completed
The InstallShield Wizard has successfully uninstalled Cisco Virtual Com. Click Finish to exit the wizard.
< Back
Finish
Cancel

1.3 Install / Uninstall Cisco USB console serial driver on Windows Vista 32 bits


1.3.1 Windows Vista 32bits installation


Run the setup.exe program
Click Next on the Dialog Box to proceed with installation program






A User Account Control could pop up asking user to proceed or cancel the program. Click on “Allow – I trust this program. I know where it ‘s from or I ‘ve used it before” to proceed.


Cisco Virtual Com - InstallShield Wizard
Windows Security
Windows can't verify the publisher of this driver software
Don't install this driver software
You should check your manufacturer's website for updated driver software for your device.
Install this driver software anyway
Only install driver software obtained from your manufacturer's website or disc. Unsigned software from other sources may harm your computer or steal information.
See details
< Back
Next >
Cancel


Cisco Virtual Com - InstallShield Wizard
Windows Security
Windows can't verify the publisher of this driver software
Don't install this driver software
You should check your manufacturer's website for updated driver software for your device.
Install this driver software anyway
Only install driver software obtained from your manufacturer's website or disc. Unsigned software from other sources may harm your computer or steal information.
See details
< Back
Next >
Cancel



Attach the device: Connect the USB Console Cable from router to the USB port of the PC. An Info Messages Box will pop-up automatically on top of the Task Bar Panel. After the last of these Info Message Boxes disappears, the usbconsole feature is ready to be use.







1.3.2 Windows Vista 32bits uninstallation

Run the setup.exe program
Click Next on the Dialog Box to proceed with installation program




Cisco Virtual Com - InstallShield Wizard
Program Maintenance
Modify, repair, or remove the program.
Cisco Systems
Modify
Change which program features are installed. This option displays the Custom Selection dialog in which you can change the way features are installed.
Repair
Repair installation errors in the program. This option fixes missing or corrupt files, shortcuts, and registry entries.
Remove
Remove Cisco Virtual Com from your computer.
InstallShield
< Back
Next >
Cancel


Cisco Virtual Com - InstallShield Wizard
Remove the Program
You have chosen to remove the program from your system.
Cisco Systems
Click Remove to remove Cisco Virtual Com from your computer. After removal, this program will no longer be available for use.
If you want to review or change any settings, click Back.
InstallShield
< Back
Remove
Cancel

A User Account Control could pop up asking user to proceed or cancel the program. Click on “Allow – I trust this program. I know where it ‘s from or I ‘ve used it before” to proceed.

